


## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>G09F 21/10</b>	<b>A1</b>	(11) International Publication Number: <b>WO 99/63511</b> (43) International Publication Date: 9 December 1999 (09.12.99)
(21) International Application Number: PCT/IB99/00950 (22) International Filing Date: 26 May 1999 (26.05.99) (30) Priority Data: 98/4828 4 June 1998 (04.06.98) ZA (71)(72) Applicants and Inventors: BLACK, Ian, Graham [ZA/ZA]; 8 Flamboyant Avenue, Morningside Ext 40, 2057 Sandton (ZA). BOOTH, Michael, Gilbert [ZA/ZA]; 54 Judith Road, Emmarentia, 2195 Johannesburg (ZA). (74) Agents: GILSON, David, Grant et al.; Spoor and Fisher, P.O. Box 41312, 2024 Craighall (ZA).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW. ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  Published With international search report.

(54) Title: IMAGE DISPLAY CRAFT

## (57) Abstract

An image display craft (10) for outdoor advertising. The craft is lighter than air, such as a dirigible airship (12), and has flat projection surfaces (16) on each of its sides. Variable static or moving images, such as advertising images or other messages, are projected onto the sides of the craft by projectors (30) which are positioned on booms (22) that extend laterally from the craft. As the airship moves around the sky the image is visible on the exterior of the craft to observers on the ground.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

- 1 -

**IMAGE DISPLAY CRAFT****BACKGROUND TO THE INVENTION**

THIS invention relates to an image display craft.

Advertisers are constantly looking for new ways to get advertising messages to members of the public. The present invention seeks to provide an image display craft which can, *inter alia*, be used to convey visible advertising messages to the public.

---

CONFIRMATION COPY

### SUMMARY OF THE INVENTION

According to the invention there is provided a lighter-than-air image display craft carrying a projection surface and image projection means which is operable to project an image, which will be visible from the exterior of the craft, onto the projection surface.

Typically, the image projection means is operable to project an externally visible, variable image onto the projection surface.

Many different possibilities are within the scope of the invention. For instance, there may be a projection surface at at least one side of the craft and support means extending laterally from the craft to a position laterally beyond the projection surface, the image projection means comprising an image projector supported by the support means and operable to project an externally visible image back onto the projection surface. This arrangement can be duplicated on both sides of the craft.

According to another possibility, there are projection surfaces on opposite sides of the craft and support means extending laterally to both sides of the craft to positions laterally beyond the respective projection surfaces, the image projection means comprising outer reflector means supported by the support means, a central image projector and central reflector means arranged to reflect images projected onto it by the projector outwardly onto the outer reflector means which are in turn arranged to reflect the images onto the respective projection surfaces.

According to yet another possibility the image projection means comprises an image projector located inwardly of the projection surface and arranged to

- 3 -

project an image outwardly onto the projection surface which will be visible from the exterior of the craft.

### **BRIEF DESCRIPTION OF THE DRAWINGS**

The invention will now be described in more detail, by way of example only, with reference to the accompanying drawings in which:

- Figure 1** illustrates an image display craft according to the invention;
- Figure 2** shows a diagrammatic front view of the invention illustrated in Figure 1; and
- Figures 3 to 4** show diagrammatic front views of the image display craft, illustrating alternative boom and image projection arrangements.

### **DESCRIPTION OF THE ILLUSTRATED EMBODIMENTS**

Figure 1 shows a lighter-than-air image display craft 10, in this case a dirigible airship. As in the case of conventional airships, the airship 12 accommodates a large volume of a suitable lighter-than-air gas, typically helium, which renders the airship buoyant in air. In the illustrated case, the container for the helium or other gas is a multi-faceted container 14 with a suitable internal supporting framework if necessary. It will be noted that the container 14 includes large, flat panels 16 (only one visible) on opposite sides thereof. As described below the outer surfaces of the panels 16 serve as image projection surfaces.

- 4 -

In addition to the gas container, the airship 12 includes one or more motors located in a housing 17 and driving rear-mounted propellers 18 which are used both to propel the airship and steer it. The airship is piloted from a control cabin 20 located at the front end of the airship.

Booms 22 are connected to upper panels 24 of the container 14 and project laterally to opposite sides thereof. Additional rigidifying support for the booms is provided by wire stays 26 extending between an upstanding stanchion 28 on the container and the booms and wire stays 29 extending between the underside of the container and the booms.

Referring to Figures 1 and 2, the booms 22 carry projectors, at their ends, indicated by the reference numeral 30. The projectors may, for instance, be cine or video projectors which can be controlled remotely from the control cabin 20. Alternatively the projectors may be ultra high brightness LCD light-valve projectors of the type manufactured by BARCO under the product description "BARCOVISION 9200".

---

The projectors are aimed at the panels 16 and can be operated to project light images, which will be visible to an external observer, back onto those panels. The images may, for instance, be static or moving advertising images and/or other images or messages. It is envisaged that the projected images will be large enough to be clearly visible, especially at night time, to observers on the ground when the airship 12 is flying slowly at a suitable altitude, thereby conveying a powerful and effective means of outdoor advertising or displaying other messages.

- 5 -

Many variations are possible within the scope of the invention. For instance, the gas container of the airship could have a conventional cigar or other shape with the required projection surfaces being provided by separate panels fixed to opposite sides of the container. The projection surfaces need not be flat. In instances where the surfaces are curved, suitable optical correction apparatus can be provided to ensure that observers see an optically correct image. In addition, the booms that support the image projection apparatus may be mounted at locations other than that described above.

Figure 3 shows an alternative mounting arrangement of the booms at the underside of the craft. The projectors 30 are carried at the ends of the booms 22 to project images onto the panels 16.

Figure 4 shows another arrangement with booms 22 mounted under the craft to facilitate the use of a single projector 31 which is mounted on the under side of the airship. The projected image is directed onto a double reflector 32, such as a split mirror, to direct distinct parts of the image onto mirrors 34 located on the booms which in turn reflect the separate images onto the projection surfaces. The path of the image is indicated in Figure 4 by means of arrows. In this embodiment the booms need not project as far from the craft as in other embodiments, as mirrors 34 may be located more closely to the projection surfaces.

The lighter-than-air craft need not necessarily be a dirigible airship and could, instead, be a static blimp which is anchored to the ground. Although the embodiments illustrated in Figures 1 to 3 include two projectors and two projection surfaces, it is within the scope of the invention for there to be a single projector and single projection surface, possible at the underside, front or rear of the craft.

It is also within the scope of the invention for suitable projection apparatus to

- 6 -

be located inwardly of the projection surface(s), possibly housed within the container 14 itself, and to project light images outwardly onto one or more surfaces of the craft which are made of a material of appropriate translucency to arrest the light in such a manner as to be visible on those surfaces to external observers.

---



### CLAIMS

1.

A lighter-than-air image display craft carrying a projection surface and image projection means which is operable to project an image, which will be visible from the exterior of the craft, onto the projection surface.

2.

An image display craft according to claim 1 wherein the image projection means is operable to project an externally visible, variable image onto the projection surface.

3.

An image display craft according to either one of the preceding claims comprising a projection surface at at least one side of the craft and support means extending laterally from the craft to a position laterally beyond the projection surface, the image projection means comprising an image projector supported by the support means and operable to project an externally visible image back onto the projection surface.

4.

An image display craft according to claim 3 comprising projection surfaces on opposite sides of the craft and support means extending laterally to both sides of the craft to positions laterally beyond the respective projection surfaces, the image projection means comprising image projectors supported by the support means and operable to project externally visible images back onto the projection surfaces.

5.

An image display craft according to claim 1 or claim 2 comprising projection surfaces on opposite sides of the craft and support means extending laterally to both sides of the craft to positions laterally beyond the respective projection surfaces, the image projection means comprising outer reflector means supported by the support means, a central image projector and a central reflector means arranged to reflect images projected onto it by the projector outwardly onto the outer reflector means which are in turn arranged to reflect the images onto the respective projection surfaces.

6.

An image display craft according to claim 1 wherein the image projection means comprises an image projector located inwardly of the projection surface and arranged to project an image outwardly onto the projection surface which will be visible from the exterior of the craft.

---

7.

An image display craft according to any one of the preceding claims wherein at least one side of the craft itself is arranged to serve as a projection surface.

8.

An image display craft according to claim 7 wherein the or each side serving as a projection surface is flat.

9.





An image display craft according to any one of the preceding claims wherein

- 9 -

the craft is a self-propelled, dirigible airship.

10.

An image display craft substantially as herein described with reference to Figures 1 and 2, Figure 3 or Figure 4 of the accompanying drawings.



# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/IB 99/00950

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 6 G09F21/10

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
IPC 6 G09F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DE 23 09 904 A (KRUEGER ECKART DIPL VOLKSW DR) 29 August 1974 (1974-08-29)	1,2
Y	the whole document	3-10
Y	DE 623 053 C (J. SCHARF) 12 December 1935 (1935-12-12)	3,4,7-10
Y	FR 603 664 A (H. JUNKERS) 21 April 1926 (1926-04-21)	5
Y	DE 33 27 944 A (SCHULZ WALTER) 21 February 1985 (1985-02-21)	6
	claims; figures	

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance  
"E" earlier document but published on or after the international filing date  
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  
"O" document referring to an oral disclosure, use, exhibition or other means  
"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  
"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone  
"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art  
"&" document member of the same patent family

Date of the actual completion of the international search

8 July 1999

Date of mailing of the international search report

19/07/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040. Tx. 31 651 epo nl.  
Fax: (+31-70) 340-3016

Authorized officer

Gallo, G

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IB 99/00950

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
DE 2309904	A	29-08-1974	NONE	
DE 623053	C		NONE	
FR 603664	A	21-04-1926	NONE	
DE 3327944	A	21-02-1985	NONE	